

UM-CHOR-1 Growth Conditions

Growth conditions:

IMDM:RPMI 1640 mixed 4 parts IMDM:1 part RPMI

10% FBS

1X NEAA

Pen-Strep (optional)

Cells are grown on regular plastic and are split 1:2, when nearing confluence, about every 3-4 days. It is best to wait an extra day if you are not sure rather than split too early. Cell should never be split back further than 1:4.

Freezing Media:

70% complete growth medium

20% fetal bovine serum

10% DMSO