

Growth conditions for JHC7 cell line

Growth conditions:

DMEM/F12 medium

10% FBS

Pen-Strep (optional)

Cells are grown on regular plastic and are split 1:2, when nearing confluence, about every 5 days. It is best to wait an extra day if you are not sure rather than split too early. Cell should not be split back further than 1:4 as they may not recover.

Freezing Media:

70% complete growth medium

20% fetal bovine serum

10% DMSO